

MODULE THREE: OPENACC DIRECTIVES

Dr. Volker Weinberg | LRZ

MODULE OVERVIEW

OpenACC Directives

- The parallel directive
- The kernels directive
- The loop directive
- Fundamental differences between the kernels and parallel directive
- Expressing parallelism in OpenACC

OPENACC SYNTAX

OPENACC SYNTAX

Syntax for using OpenACC directives in code

C/C++

```
#pragma acc directive clauses  
<code>
```

Fortran


```
!$acc directive clauses  
<code>
```

- A ***pragma*** in C/C++ gives instructions to the compiler on how to compile the code. Compilers that do not understand a particular pragma can freely ignore it.
- A ***directive*** in Fortran is a specially formatted comment that likewise instructs the compiler in its compilation of the code and can be freely ignored.
- “***acc***” informs the compiler that what will come is an OpenACC directive
- ***Directives*** are commands in OpenACC for altering our code.
- ***Clauses*** are specifiers or additions to directives.

OPENACC PARALLEL DIRECTIVE

OPENACC PARALLEL DIRECTIVE

Explicit programming



- The parallel directive instructs the compiler to create parallel *gangs* on the accelerator
- Gangs are independent groups of worker threads on the accelerator
- The code contained within a parallel directive is executed redundantly by all parallel gangs


OPENACC PARALLEL DIRECTIVE

Expressing parallelism

```
#pragma acc parallel  
{
```

When encountering the *parallel* directive, the compiler will generate *1 or more parallel gangs*, which execute redundantly.

```
}
```




OPENACC PARALLEL DIRECTIVE

Expressing parallelism

```
#pragma acc parallel  
{
```

```
    loop  
    for(int i = 0; i < N; i++)  
    {  
        // Do Something  
    }
```

This loop will be
executed redundantly
on each gang



OPENACC PARALLEL DIRECTIVE


Expressing parallelism

```
#pragma acc parallel  
{
```

```
for(int i = 0; i < N; i++)  
{  
    // Do Something  
}
```

```
}
```

This means that each **gang** will execute the entire loop



OPENACC PARALLEL DIRECTIVE

Parallelizing a single loop

C/C++

```
#pragma acc parallel
{
    #pragma acc loop
    for(int i = 0; i < N; i++)
        a[i] = 0;
}
```

Fortran

```
!$acc parallel
!$acc loop
do i = 1, N
    a(i) = 0
end do
!$acc end parallel
```

- Use a **parallel** directive to mark a region of code where you want parallel execution to occur
- This parallel region is marked by curly braces in C/C++ or a start and end directive in Fortran
- The **loop** directive is used to instruct the compiler to parallelize the iterations of the next loop to run across the parallel gangs

OPENACC PARALLEL DIRECTIVE

Parallelizing a single loop

C/C++

```
#pragma acc parallel loop  
for(int i = 0; i < N; i++)  
    a[i] = 0;
```

Fortran

```
!$acc parallel loop  
do i = 1, N  
    a(i) = 0  
end do
```


- This pattern is so common that you can do all of this in a single line of code
- In this example, the parallel loop directive applies to the next loop
- This directive both marks the region for parallel execution and distributes the iterations of the loop.
- When applied to a loop with a data dependency, parallel loop may produce incorrect results

OPENACC PARALLEL DIRECTIVE

Expressing parallelism

```
#pragma acc parallel  
{  
  
    #pragma acc loop  
    for(int i = 0; i < N; i++)  
    {  
        // Do Something  
    }  
  
}
```

The *loop* directive informs the compiler which loops to parallelize.



OPENACC PARALLEL DIRECTIVE

Parallelizing many loops

```
#pragma acc parallel loop
for(int i = 0; i < N; i++)
    a[i] = 0;

#pragma acc parallel loop
for(int j = 0; j < M; j++)
    b[j] = 0;
```

- To parallelize multiple loops, each loop should be accompanied by a parallel directive
- Each parallel loop can have different loop boundaries and loop optimizations
- Each parallel loop can be parallelized in a different way
- This is the recommended way to parallelize multiple loops. Attempting to parallelize multiple loops within the same parallel region may give performance issues or unexpected results

OPENACC LOOP DIRECTIVE

OPENACC LOOP DIRECTIVE

Expressing parallelism

- Mark a single for loop for parallelization
- Allows the programmer to give additional information and/or optimizations about the loop
- Provides many different ways to describe the type of parallelism to apply to the loop
- Must be contained within an OpenACC compute region (either a kernels or a parallel region) to parallelize loops

C/C++

```
#pragma acc loop  
for(int i = 0; i < N; i++)  
    // Do something
```

Fortran

```
!$acc loop  
do i = 1, N  
    ! Do something
```

OPENACC LOOP DIRECTIVE

Inside of a parallel compute region

```
#pragma acc parallel
{
    for(int i = 0; i < N; i++)
        a[i] = 0;

    #pragma acc loop
    for(int j = 0; j < N; j++)
        a[j]++;
}
```

- In this example, the first loop is not marked with the loop directive
- This means that the loop will be “redundantly parallelized”
- Redundant parallelization, in this case, means that the loop will be run in its entirety, multiple times, by the parallel hardware
- The second loop is marked with the loop directive, meaning that the loop iterations will be properly split across the parallel hardware

OPENACC LOOP DIRECTIVE

Inside of a kernels compute region

```
#pragma acc kernels
{
    #pragma acc loop
    for(int i = 0; i < N; i++)
        a[i] = 0;

    #pragma acc loop
    for(int j = 0; j < M; j++)
        b[j] = 0;
}
```

- With the kernels directive, the loop directive is implied
- The programmer can still explicitly define loops with the loop directive, however this could affect the optimizations the compiler makes
- The loop directive is not needed, but does allow the programmer to optimize the loops themselves

OPENACC LOOP DIRECTIVE

Parallelizing loop nests

C/C++

```
#pragma acc parallel loop
for(int i = 0; i < N; i++){
    #pragma acc loop
    for(int j = 0; j < M; j++){
        a[i][j] = 0;
    }
}
```

Fortran


```
!$acc parallel loop
do i = 1, N
    !$acc loop
    do j = 1, M
        a(i,j) = 0
    end do
end do
```

- You are able to include multiple loop directives to parallelize multi-dimensional loop nests
- On some parallel hardware, this will allow you to express more levels of parallelism, and increase performance further
- Other parallel hardware has difficulties expressing enough parallelism for multi-dimensional loops
- In this case, inner loop directives may be ignored

OPENACC KERNELS DIRECTIVE

OPENACC KERNELS DIRECTIVE

Compiler directed parallelization



- The kernels directive instructs the compiler to search for parallel loops in the code
- The compiler will analyze the loops and parallelize those it finds safe and profitable to do so
- The kernels directive can be applied to regions containing multiple loop nests

OPENACC KERNELS DIRECTIVE

Parallelizing a single loop

C/C++

```
#pragma acc kernels
for(int i = 0; j < N; i++)
    a[i] = 0;
```

Fortran

```
!$acc kernels
do i = 1, N
    a(i) = 0
end do
!$acc end kernels
```

- In this example, the kernels directive applies to the next for loop
- The compiler will take the loop, and attempt to parallelize it on the parallel hardware
- The compiler will also attempt to optimize the loop
- If the compiler decides that the loop is not parallelizable, it will not parallelize the loop

OPENACC KERNELS DIRECTIVE

Parallelizing many loops

C/C++

```
#pragma acc kernels
{
  for(int i = 0; i < N; i++)
    a[i] = 0;

  for(int j = 0; j < M; j++)
    b[j] = 0;
}
```

Fortran

```
!$acc kernels
do i = 1, N
  a(i) = 0
end do

do j = 1, M
  b(j) = 0
end do
!$acc end kernels
```


- In this example, we mark a region of code with the kernels directive
- The kernels region is defined by the **curly braces** in C/C++, and the **!\$acc kernels** and **!\$acc end kernels** in Fortran
- The compiler will attempt to parallelize all loops within the kernels region
- Each loop can be parallelized/optimized in a different way

EXPRESSING PARALLELISM

Compiler generated parallelism

```
#pragma acc kernels
{
    for(int i = 0; i < N; i++)
    {
        // Do Something
    }
    for(int i = 0; i < M; i++)
    {
        // Do Something Else
    }
}
```

With the *kernels* directive, the *loop* directive is implied.




EXPRESSING PARALLELISM

Compiler generated parallelism

```
#pragma acc kernels
{
    for(int i = 0; i < N; i++)
    {
        // Do Something
    }
    for(int i = 0; i < M; i++)
    {
        // Do Something Else
    }
}
```

This process can happen multiple times within the *kernels* region.

Each loop can have a different number of gangs, and those gangs can be organized/optimized completely differently.



OPENACC KERNELS DIRECTIVE

Fortran array syntax

```
!$acc kernels  
a(:) = 1  
b(:) = 2  
c(:) = a(:) + b(:)  
!$acc end kernels
```

```
!$acc parallel loop  
c(:) = a(:) + b(:)
```

- One advantage that the kernels directive has over the parallel directive is Fortran array syntax
- The parallel directive must be paired with the loop directive, and the loop directive does not recognize the array syntax as a loop
- The kernels directive can correctly parallelize the array syntax

INDEPENDENT CLAUSE

- The **independent** clause asserts to the compiler that the loop is parallelizable
- This will overwrite any decision that the compiler makes about the loop
- Adding the independent clause could force the compiler to parallelize a non-parallel loop
- Allows the programmer to force parallelism when using the kernels directive

```
#pragma acc kernels loop independent
for( i = 0; i < size; i++ )
    for( j = 0; j < size; j++ )
        for( k = 0; k < size; k++ )
            c[i][j] += a[i][k] * b[k][j];
```

INDEPENDENT CLAUSE

- When using the **parallel directive**, the independent clause is **implied**
- With the parallel directive, the programmer is determining which loops are parallelizable and thus the independent clause is not needed

```
#pragma acc parallel loop independent  
for( i = 0; i < size; i++ )  
    for( j = 0; j < size; j++ )  
        for( k = 0; k < size; k++ )  
            c[i][j] += a[i][k] * b[k][j];
```

KERNELS VS PARALLEL

Kernels

- Compiler decides what to parallelize with direction from user
- Compiler guarantees correctness
- Can cover multiple loop nests

Parallel

- Programmer decides what to parallelize and communicates that to the compiler
- Programmer guarantees correctness
- Must decorate each loop nest

When fully optimized, both will give similar performance.

COMPILING PARALLEL CODE

COMPILING PARALLEL CODE (PGI)

CODE

```
7: #pragma acc parallel loop
8: for(int i = 0; i < N; i++)
9:   a[i] = 0;
```

COMPILING

```
$ nvc -fast -ta=multicore -Minfo=accel main.c
```

FEEDBACK

```
main:
  7, Generating Multicore code
  8, #pragma acc loop gang
```

COMPILING PARALLEL CODE (PGI)

CODE

```
7: #pragma acc kernels  
8: for(int i = 0; i < N; i++)  
9:     a[i] = 0;
```

COMPILING

```
$ nvc -fast -ta=multicore -Minfo=accel main.c
```

FEEDBACK

```
main:  
    8, Loop is parallelizable  
        Generating Multicore code  
        8, #pragma acc loop gang
```

COMPILING PARALLEL CODE (PGI)

CODE

```
7: #pragma acc kernels
8: for(int i = 1; i < N; i++)
9:   a[i] = a[i-1] + a[i];
```

Non-parallel loop

COMPILING

```
$ nvc -fast -ta=multicore -Minfo=accel main.c
```

FEEDBACK

```
main:
  8, Loop carried dependence of a-> prevents parallelization
     Loop carried backward dependence of a-> prevents vectorization
```

COMPILING PARALLEL CODE (PGI)

CODE

```
7: #pragma acc parallel loop
8: for(int i = 1; i < N; i++)
9:   a[i] = a[i-1] + a[i];
```

Non-parallel loop

COMPILING

```
$ nvc -fast -ta=multicore -Minfo=accel main.c
```

FEEDBACK

```
main:
  7, Generating Multicore code
     8, #pragma acc loop gang
```

KEY CONCEPTS

By end of this module, you should now understand

- The parallel, kernels, and loop directives
- The key differences in functionality and use between the kernels and parallel directives
- When and where to include loop directives
- How the parallel and kernel directives conceptually generate parallelism

THANK YOU

OpenACC
More Science, Less Programming

OPENACC RESOURCES

Guides • Talks • Tutorials • Videos • Books • Spec • Code Samples • Teaching Materials • Events • Success Stories • Courses • Slack • Stack Overflow

FREE Compilers



PGI
Community
EDITION



<https://www.openacc.org/community#slack>

Resources

<https://www.openacc.org/resources>

Compilers and Tools

<https://www.openacc.org/tools>

Success Stories

<https://www.openacc.org/success-stories>

Events

<https://www.openacc.org/events>